

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
1	103	("5848133"; "4259547"; "4311872"; "5371800"; "5396550"; "5546458"; "5621724"; "5830014"; "5896450"; "6157727"; "6354299"; "6108567"; "4283602"; "4297527"; "4323738"; "4539698"; "4555599"; "5010584"; "5204981"; "5303308"; "5528419"; "5553134"; "5666384"; "5687283"; "5689440"; "6152987"; "6085096"; "6218987"; "6218987"; "6240279"; "6377679"; "4414432"; "5544250"; "5966639"; "6192126"; "6230123"; "4315103"; "5539705"; "5555533"; "5640685"; "5699480"; "5781848"; "5825853"; "5844994"; "5930749"; "6122384"; "6122369"; "6138096"; "6178162"; "6206745"; "pn. and (@ad @pd @prad) <= 20011109 and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 07:49
2	331	(/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:41
4	94	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 08:02
5	2	("5848133"; "4259547"; "4311872"; "5371800"; "5396550"; "5546458"; "5621724"; "5830014"; "5896450"; "6157727"; "6354299"; "6108567"; "4283602"; "4297527"; "4323738"; "4539698"; "4555599"; "5010584"; "5204981"; "5303308"; "5528419"; "5553134"; "5666384"; "5687283"; "5689440"; "6152987"; "6085096"; "6218987"; "6218987"; "6240279"; "6377679"; "4414432"; "5544250"; "5966639"; "6192126"; "6230123"; "4315103"; "5539705"; "5555533"; "5640685"; "5699480"; "5781848"; "5825853"; "5844994"; "5930749"; "6122384"; "6122369"; "6138096"; "6178162"; "6206745"; "pn. and (@ad @pd @prad) <= 20011109 and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 07:54
6	239	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:40
8	2	("5848133"; "4259547"; "4311872"; "5371800"; "5396550"; "5546458"; "5621724"; "5830014"; "5896450"; "6157727"; "6354299"; "6108567"; "4283602"; "4297527"; "4323738"; "4539698"; "4555599"; "5010584"; "5204981"; "5303308"; "5528419"; "5553134"; "5666384"; "5687283"; "5689440"; "6152987"; "6085096"; "6218987"; "6218987"; "6240279"; "6377679"; "4414432"; "5544250"; "5966639"; "6192126"; "6230123"; "4315103"; "5539705"; "5555533"; "5640685"; "5699480"; "5781848"; "5825853"; "5844994"; "5930749"; "6122384"; "6122369"; "6138096"; "6178162"; "6206745"; "pn. and (@ad @pd @prad) <= 20011109 and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 08:04

9	1	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 08:05
10	7	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:39
11	19	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:09
12	19	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB	2004/08/03 09:03
13	19	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 10:20
14	24	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:10
15	5	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 09:10
16	24	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB	2004/08/03 09:10
18	5	((/704/cds. or (speech voice audio)) and (@ad @pd @prad) <= 20011109 and microphone and (speaker headset ear\$6) and amplif\$8 and (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess\$8 loud\$4))	USPAT; US-PGPUB	2004/08/03 08:11

40	13	2004/08/03 10:37	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	(["5848133"; "4259547"; "4311872"; "5371800"; "5396550"; "5546458"; "5621724"; "5830014"; "5896450"; "6157727"; "6354299"; "6108567"; "4283602"; "4297527"; "4323738"; "4539698"; "4555599"; "5010584"; "5204981"; "5303308"; "5526419"; "5553134"; "5666384"; "5687283"; "5689440"; "5815298"; "6085096"; "6218987"; "6218987"; "6240279"; "6377679"; "4414432"; "5544250"; "5966639"; "6192126"; "6230123"; "4315103"; "5539705"; "5555533"; "5640685"; "5699480"; "5781848"; "5825853"; "5844994"; "5930749"; "6122384"; "6122389"; "6138096"; "6178162"; "6206745"; pn, and (@ad @pd @prad)<=20011109) and (vary\$4 variable) with (time duration)	2004/08/03 10:38	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	15	2004/08/03 10:38	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	(["5848133"; "4259547"; "4311872"; "5371800"; "5396550"; "5546458"; "5621724"; "5830014"; "5896450"; "6157727"; "6354299"; "6108567"; "4283602"; "4297527"; "4323738"; "4539698"; "4555599"; "5010584"; "5204981"; "5303308"; "5526419"; "5553134"; "5666384"; "5687283"; "5689440"; "5815298"; "6085096"; "6218987"; "6218987"; "6240279"; "6377679"; "4414432"; "5544250"; "5966639"; "6192126"; "6230123"; "4315103"; "5539705"; "5555533"; "5640685"; "5699480"; "5781848"; "5825853"; "5844994"; "5930749"; "6122384"; "6122389"; "6138096"; "6178162"; "6206745"; pn, and (@ad @pd @prad)<=20011109) and (vary\$4 variable) with (time duration length)	2004/08/03 10:38	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	14	2004/08/03 10:38	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	(["5848133"; "4259547"; "4311872"; "5371800"; "5396550"; "5546458"; "5621724"; "5830014"; "5896450"; "6157727"; "6354299"; "6108567"; "4283602"; "4297527"; "4323738"; "4539698"; "4555599"; "5010584"; "5204981"; "5303308"; "5526419"; "5553134"; "5666384"; "5687283"; "5689440"; "5815298"; "6085096"; "6218987"; "6218987"; "6240279"; "6377679"; "4414432"; "5544250"; "5966639"; "6192126"; "6230123"; "4315103"; "5539705"; "5555533"; "5640685"; "5699480"; "5781848"; "5825853"; "5844994"; "5930749"; "6122384"; "6122389"; "6138096"; "6178162"; "6206745"; pn, and (@ad @pd @prad)<=20011109) and (change shorten length) with (time duration length)	2004/08/03 11:41	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	91	2004/08/03 11:42	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	(["704/cds, or (speech voice audio) and (@ad @pd @prad)<=20011109 and microphone and (speaker headset ear\$6) and amplifs8 and (gain with (reduc\$4 lower\$4 suppress\$4 limit\$4 squelch\$4 mu\$4) same (excess\$8 loud\$4)) and (duration length time period) same (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mu\$4) same (excess\$8 loud\$4))	2004/08/03 11:42	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

50	91	(US-5553151-\$ or US-5903655-\$ or US-5940486-\$ or US-5963898-\$ or US-5825895-\$ or US-5434922-\$ or US-5625697-\$ or US-5404115-\$ or US-6002777-\$ or US-5974377-\$ or US-4520499-\$ or US-4525856-\$ or US-4531229-\$ or US-4536888-\$ or US-4589127-\$ or US-4644292-\$ or US-6434110-\$ or US-6476745-\$ or US-6493657-\$ or US-6570985-\$ or US-6675125-\$ or US-6731768-\$ or US-6744882-\$ or US-6766176-\$ or US-6212273-\$ or US-6201873-\$) did, or (US-6107879-\$ or US-6104822-\$ or US-6094489-\$ or US-6031915-\$ or US-6005951-\$ or US-4712231-\$ or US-4718099-\$ or US-4747144-\$ or US-4783819-\$ or US-4817603-\$ or US-4966712-\$ or US-4926139-\$ or US-4149032-\$ or US-4123711-\$ or US-4346261-\$ or US-4466119-\$ or US-4503553-\$ or US-4503554-\$ or US-4517415-\$ or US-5550924-\$ or US-5550923-\$ or US-6405164-\$ or US-5259033-\$ or US-5479168-\$ or US-5637857-\$ or US-5638074-\$ or US-5639311-\$) did, or (US-6282176-\$ or US-5163017-\$ or US-5872531-\$ or US-5895668-\$ or US-5144675-\$ or US-6392479-\$ or US-5854600-\$ or US-5864311-\$ or US-5838274-\$ or US-5838807-\$ or US-5561737-\$ or US-5615270-\$ or US-3573817-\$ or US-3789143-\$ or US-3814856-\$ or US-3833766-\$ or US-3920931-\$ or US-3944743-\$ or US-3988694-\$ or US-4090032-\$ or US-5555311-\$ or US-4847763-\$ or US-4852175-\$ or US-4893349-\$ or US-4893347-\$ or US-5640161-\$ or US-5649008-\$) did, or (US-5622442-\$ or US-5808574-\$ or US-5794187-\$ or US-5771464-\$ or US-5751822-\$) did, or (US-20030059034-\$ or US-20040125962-\$ or US-20010020867-\$ or US-20020037088-\$ or US-20020059064-\$ or US-2003004028-\$) did	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:42
53	91	(US-5553151-\$ or US-5903655-\$ or US-5940486-\$ or US-5963898-\$ or US-5825895-\$ or US-5434922-\$ or US-5625697-\$ or US-5404115-\$ or US-6002777-\$ or US-5974377-\$ or US-4520499-\$ or US-4525856-\$ or US-4531229-\$ or US-4536888-\$ or US-4589127-\$ or US-4644292-\$ or US-6434110-\$ or US-6476745-\$ or US-6493657-\$ or US-6570985-\$ or US-6675125-\$ or US-6731768-\$ or US-6744882-\$ or US-6766176-\$ or US-6212273-\$ or US-6201873-\$) did, or (US-6107879-\$ or US-6104822-\$ or US-6094489-\$ or US-6031915-\$ or US-6005951-\$ or US-4712231-\$ or US-4718099-\$ or US-4747144-\$ or US-4783819-\$ or US-4817603-\$ or US-4966712-\$ or US-4926139-\$ or US-4149032-\$ or US-4123711-\$ or US-4346261-\$ or US-4466119-\$ or US-4503553-\$ or US-4503554-\$ or US-4517415-\$ or US-5550924-\$ or US-5550923-\$ or US-6405164-\$ or US-5259033-\$ or US-5479168-\$ or US-5637857-\$ or US-5638074-\$ or US-5639311-\$) did, or (US-6282176-\$ or US-5163017-\$ or US-5872531-\$ or US-5895668-\$ or US-5144675-\$ or US-6392479-\$ or US-5854600-\$ or US-5864311-\$ or US-5838274-\$ or US-5838807-\$ or US-5561737-\$ or US-5615270-\$ or US-3573817-\$ or US-3789143-\$ or US-3814856-\$ or US-3833766-\$ or US-3920931-\$ or US-3944743-\$ or US-3988694-\$ or US-4090032-\$ or US-5555311-\$ or US-4847763-\$ or US-4852175-\$ or US-4893349-\$ or US-4893347-\$ or US-5640161-\$ or US-5649008-\$) did, or (US-5622442-\$ or US-5808574-\$ or US-5794187-\$ or US-5771464-\$ or US-5751822-\$) did, or (US-20030059034-\$ or US-20040125962-\$ or US-20010020867-\$ or US-20020037088-\$ or US-20020059064-\$ or US-2003004028-\$) did, and (duration length time period) with (gain with (control\$4 suppress\$4 limit\$4 squelch\$4 mu\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:44

61	152	<p>(((5848133"4255547"4311872"5371800"5396550" 5546458"5621724"5630014"5896450"6157772" 6354299"6108567"4283602"4297527"4323738" 4539698"4555599"5010564"5204981"5303308" 5526419"5553134"5666364"5687283"5689440" 5815298"6085096"6218987"6218987"6240279" 6377679"4414432"5544250"5965639"6192126" 6230123"4315103"5539705"5555533"5640685" 5695480"5781848"5825853"5844994"5930749" 6122384"6122389"6138096"6178162"6206745") pn and (@ad @pd @prad<=20011109) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and microphone and (speaker headset ear56) and amplif58 and (same (excess88 loud\$4))) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and microphone and (speaker headset ear56) and amplif58 and (gain with (reduc34 lower\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess88 loud\$4))) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) and (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) and (sneeze\$4 cough\$4 sternutation)) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) and (suppress\$4 squelch\$4 mut\$4) and (sneeze\$4 cough\$4 sternutation)) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) and (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) with (sneeze\$4 cough\$4 sternutation))) and (0.7.7) same second ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and microphone and (speaker headset ear56) and amplif58 and (gain with (reduc34 lower\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same ((ris\$4 increas\$4) with (rapid\$4 sharp\$4 abrupt\$4)))</p>	USPAT: US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2004/08/03 12:16
62	9	<p>(((5848133"4255547"4311872"5371800"5396550" 5546458"5621724"5630014"5896450"6157772" 6354299"6108567"4283602"4297527"4323738" 4539698"4555599"5010564"5204981"5303308" 5526419"5553134"5666364"5687283"5689440" 5815298"6085096"6218987"6218987"6240279" 6377679"4414432"5544250"5965639"6192126" 6230123"4315103"5539705"5555533"5640685" 5695480"5781848"5825853"5844994"5930749" 6122384"6122389"6138096"6178162"6206745") pn and (@ad @pd @prad<=20011109) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and microphone and (speaker headset ear56) and amplif58 and (same (excess88 loud\$4))) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and microphone and (speaker headset ear56) and amplif58 and (gain with (reduc34 lower\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess88 loud\$4))) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) and (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) and (sneeze\$4 cough\$4 sternutation)) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) and (suppress\$4 squelch\$4 mut\$4) and (sneeze\$4 cough\$4 sternutation)) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) and (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) with (sneeze\$4 cough\$4 sternutation))) and (0.7.7)</p>	USPAT: US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2004/08/03 12:16
70	42	<p>(((5848133"4255547"4311872"5371800"5396550" 5546458"5621724"5630014"5896450"6157772" 6354299"6108567"4283602"4297527"4323738" 4539698"4555599"5010564"5204981"5303308" 5526419"5553134"5666364"5687283"5689440" 5815298"6085096"6218987"6218987"6240279" 6377679"4414432"5544250"5965639"6192126" 6230123"4315103"5539705"5555533"5640685" 5695480"5781848"5825853"5844994"5930749" 6122384"6122389"6138096"6178162"6206745") pn and (@ad @pd @prad<=20011109) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and microphone and (speaker headset ear56) and amplif58 and (same (excess88 loud\$4))) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and microphone and (speaker headset ear56) and amplif58 and (gain with (reduc34 lower\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same (excess88 loud\$4))) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) and (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) and (sneeze\$4 cough\$4 sternutation)) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) and (suppress\$4 squelch\$4 mut\$4) and (sneeze\$4 cough\$4 sternutation)) ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and (sneeze\$4 cough\$4 sternutation)) and (control\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) with (sneeze\$4 cough\$4 sternutation))) and (0.7.7) same second ((704/ ccls or (speech voice audio) and (@ad @pd @prad<=20011109 and microphone and (speaker headset ear56) and amplif58 and (gain with (reduc34 lower\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same ((ris\$4 increas\$4) with (rapid\$4 sharp\$4 abrupt\$4)))</p>	USPAT: US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2004/08/03 14:44

69	5	<p>((704/ ccls or (speech voice audio) and (@ad @pd ear56) and amplif58 and (gain with (reduc34 lower\$4 suppress\$4 limit\$4 squelch\$4 mut\$4) same ((ris\$4 with (rapid\$4 sharp\$4 abrupt\$4)))</p>	USPAT: US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2004/08/03 14:44
	1	<p>09/986.723</p>	USPAT: US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	2004/08/02 15:37

No.	Publication No.	Title
1.	<u>2003 - 038460</u>	COUGH SOUND DETECTOR, COUGH SOUND DETECTING METHOD, COUGH SOUND DETECTING PROGRAM AND INFORMATION STORAGE MEDIUM
2.	<u>11 - 019109(1999)</u>	ATTACHMENT/DETACHMENT COVER FOR ENCLOSING AND FASTENING LEAKED URINE LIQUID ABSORBING MATERIAL
3.	<u>10 - 127780(1998)</u>	PHYSICAL CONSTITUTION IMPROVING METHOD AND MARKER USED FOR ITS PRACTICE
4.	<u>09 - 097095(1997)</u>	SPEECH RECOGNITION DEVICE
5.	<u>08 - 038481(1996)</u>	PORTABLE VOICE MONITOR DEVICE

Copyright (C); 1998,2003 Japan Patent Office



Searching PAJ information.

A server gets crowded right now. Connect it after waiting for a while.
status : 4005

MENU

Copyright (C); 1998,2003 Japan Patent Office